



ROBOT PUMPS




RW-R

Stainless Steel Vortex Pumps

Characteristics


RW20 series



Nr	Model	Motor Speed [kW]	Outlet [mm]	Height [mm]	Width [mm]
1	RW2110BB-R	1.5	2900	50	425
2	RW2110BD-R	2.2	2900	50	425
3	RW2110BE-R	2.6	2900	50	425

Available in Basic and Explosion proof


RW20 series



Nr	Model	Motor Speed [kW]	Outlet [mm]	Height [mm]	Width [mm]
1	RW2112DC-R	1.5	1450	65	460
2	RW2112DD-R	2.2	1450	65	460

Available in Basic and Explosion proof


RW20 series



Nr	Model	Motor Speed [kW]	Outlet [mm]	Height [mm]	Width [mm]
1	RW2120BB-R	1.5	2900	65	460
2	RW2120BD-R	2.2	2900	65	460
3	RW2120BE-R	2.6	2900	65	460

Available in Basic and Explosion proof


RW20 series



Nr	Model	Motor Speed [kW]	Outlet [mm]	Height [mm]	Width [mm]
1	RW2122DC-R	1.5	1450	65	475
2	RW2122DD-R	2.2	1450	65	475

Available in Explosion proof


RW20 series



Nr	Model	Motor Speed [kW]	Outlet [mm]	Height [mm]	Width [mm]
1	RW2140DC-R	1.5	1450	100	515
2	RW2140DD-R	2.2	1450	100	515

Available in Explosion proof


RW40 series



Nr	Model	Motor Speed [kW]	Outlet [mm]	Height [mm]	Width [mm]
1	RW4020DG-R	3.5	1450	65	570
2	RW4020DJ-R	5.0	1450	65	570

Available in Basic and with Cooling jacket


RW40 series



Nr	Model	Motor Speed [kW]	Outlet [mm]	Height [mm]	Width [mm]
1	RW4021BJ-R	5.0	2900	65	570
2	RW4020BJ-R	5.0	2900	65	570
3	RW4021BR-R	9.0	2900	65	635
4	RW4020BR-R	9.0	2900	65	635
5	RW4021BZ-R	13.0	2900	65	635
6	RW4020BZ-R	13.0	2900	65	635

Available in Basic and with Cooling jacket


RW40 series



Nr	Model	Motor Speed [kW]	Outlet [mm]	Height [mm]	Width [mm]
1	RW4030DG-R	3.5	1450	100	610
2	RW4030DJ-R	5.0	1450	100	610
3	RW4030DL-R	6.0	1450	100	610
4	RW4030DO-R	7.5	1450	100	610

Available in Basic and with Cooling jacket

RW40 series



Nr	Model	Motor Speed [kW]	Outlet [mm]	Height [mm]	Width [mm]
1	RW4040FE-R	2.4	960	100	610
2	RW4040DG-R	3.5	1450	100	610
3	RW4040DJ-R	5.0	1450	100	610
4	RW4040DL-R	6.0	1450	100	610
5	RW4042DO-R	7.5	1450	100	650
6	RW4042DU-R	10.5	1450	100	650

Available in Basic and with Cooling jacket



ROBOT PUMPS

ITT Water & Wastewater Alphen B.V.

P.O. Box 140, 2400 AC Alphen aan den Rijn
Produktieweg 5, 2404 CC Alphen aan den Rijn

The Netherlands

Phone : +31 172 418 687

Fax : +31 172 418 602

E-mail : ittwwwalphen@itt.com

www.ittwwwalphen.com

The information contained herein is general in nature and is not intended for specific construction, installation or application purposes. Predictions of actual performance of a given piece of equipment should take into account the many variable field factors the machine is liable to encounter. Because of those factors, no warranty of any kind, expressed or implied, is extended by presenting the generalized data herein. We reserve the right to make changes in specifications shown herein or add improvements at any time without notice or obligation.